

10/ 806 908

eze



I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria VA 22313-1450.

By Orlando Quiroz On Dec. 22, 2005
Orlando Quiroz Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 6,952,012 B2

Atty Docket: 10980322-7

Issued: October 04, 2005

Inventor(s): Bai et al.

Title: AMBIENT PRESSURE MATRIX-ASSISTED LASER DESORPTION IONIZATION (MALDI) APPARATUS AND METHOD OF ANALYSIS

**REQUEST FOR ISSUANCE OF
CERTIFICATE OF CORRECTION**

Certificate

JAN 03 2006

of Correction

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

Sir:

Agilent Technologies, Inc., assignee of the entire interest in the above-identified patent, respectfully requests that a Certificate of Correction be issued in accordance with 37 C.F.R. 1.322 and/or 1.323.

Enclosed herewith is a completed copy of Form PTO/SB/44 describing the various errors involved in the above-identified patent.


1. ☒ The errors are a result of USPTO mistake. **NO FEE** is required.
2. ☐ The errors are a result of Applicant's mistake. \$100 Fee required.
3. ☐ The errors are a result of both USPTO and Applicant's mistakes. \$100 Fee required.

If boxes 2 or 3 above are checked, please charge the \$100.00 fee as set forth in 1.20(a), for Applicant's errors (37 C.F.R. 1.323), to our Deposit Account 50-1078. A duplicate copy of this letter is enclosed.

JAN 05 2006

Issuance of a Certificate of Correction to correct these errors, which occurred in good faith is therefore respectfully requested. We shall appreciate your returning to us an executed copy of this Certificate of Correction for attachment to our Letters Patent.

Respectfully submitted,

By 
Herbert R. Schulze
Reg. No. 30,682

AGILENT TECHNOLOGIES, INC.
Legal Department, DL 429
Intellectual Property Administration
P.O. Box 7599
Loveland, Colorado 80537-0599
Phone No. (970)679-3238

JAN 05 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1PATENT NO. : 6,952,012 B2

APPLICATION NO.: 10/806,908

ISSUE DATE : October 4, 2005

INVENTOR(S) : Bai et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 12, lines 27-28, delete "3. The ionization source of claim 2 wherein the flowing liquid sample comprises the analyte and the matrix."

In column 12, line 36, in Claim 6, delete "lipids" and insert - - lipid - -, therefor.

In column 12, line 36, in Claim 6, delete "peptides" and insert - - peptide - -, therefor.

In column 12, line 37, in Claim 6, delete "carbohydrates" and insert - - carbohydrate - -, therefor.

In column 12, line 46, in Claim 9, after "membrane," delete "or" and insert - - and - -, therefor.

In column 13, line 6, in Claim 18, delete "claim 17" and insert - - claim 21 - -, therefor.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Agilent Technologies

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

JAN 05 2006